

**HUBUNGAN KEPATUHAN MINUM OBAT DENGAN PREVALENSI KEKAMBUHAN  
PADA PASIEN SKIZOFRENIA YANG BEROBAT JALAN  
DI RUANG POLIKLINIK JIWA RUMAH SAKIT  
DR. H. M. MARZOEKI MAHDI BOGOR**

**Tisna Yanti**

Program Studi S1 Keperawatan  
STIKes Wijaya Husada Bogor

**Abstrak:** Kepatuhan minum obat yakni tingkat ketepatan perilaku seorang individu dengan nasihat medis atau kesehatan dan menggambarkan penggunaan obat sesuai dengan petunjuk pada resep serta mencakup penggunaannya pada waktu yang benar. Prevalensi kekambuhan yaitu seberapa sering suatu penyakit atau kondisi terjadi pada sekelompok orang. Tujuan penelitian ini adalah untuk mengetahui hubungan kepatuhan minum obat dengan prevalensi kekambuhan pasien skizofrenia di Poliklinik Rumah Sakit dr. H. Marzoeki Mahdi Bogor. Jenis penelitian yang digunakan adalah penelitian observasional dengan metode deskriptif analitik menggunakan pendekatan *cross sectional*. Populasi dalam penelitian ini keluarga dari pasien skizofrenia dan sampel yang di dapatkan sebanyak 88 responden, yang ditentukan dengan menggunakan salahsatu metode *non probability sampling* dengan teknik *purposive sampling*. Data dianalisa dengan menggunakan uji statistic *chi-square* dengan tingkat kemaknaan ( $\alpha$ ) : 0,05. Hasil penelitian menunjukkan terdapat hubungan antara kepatuhan minum obat dengan prevalensi kekambuhan pasien skizofrenia. Dengan diperoleh hasil nilai ( $p = 0,000$ ) kurang dari nilai ( $\alpha = 0,05$ ). Kepatuhan minum obat pasien skizofrenia yang berobat jalan di poliklinik jiwa, membawa dampak yang baik bagi pasien skizofrenia sehingga prevalensi kekambuhan pasien skizofrenia selama 1 tahun tidak pernah, hal ini di karenakan rutinnnya pasien melakukan pengobatan dan rawat jalan di Poliklinik Jiwa Rumah Sakit Jiwa dr. H. Marzoeki Mahdi Bogor.

**Kata Kunci :** Kepatuhan Minum Obat, Prevalensi Kekambuhan

**Abstract:** Medication adherence that is the level of accuracy the behavior of an individual with medical or health advice and describe the use of drugs in accordance with the directions on the prescription and include uses at the right time. Prevalence of recurrence ie how often a disease or condition occurs in a group of people. The purpose of this study was to determine the relationship of medication adherence with the prevalence of schizophrenia patients relapse in the Polyclinic Hospital dr. H. Marzoeki Mahdi Bogor. This type of research is observational research with descriptive analytic method using cross sectional approach. The population in this study families of patients with schizophrenia and the samples were obtained as much as 88 respondents, which is determined by using one of the methods of non -probability sampling with purposive sampling technique. Data were analyzed using chi-square test with significance level ( $\alpha$ ) : 0.05. The results showed an association between adherence to the prevalence of schizophrenia patients relapse. With the results obtained value ( $p = 0.000$ ) less than the value ( $\alpha = 0.05$ ). Patient medication adherence in schizophrenia outpatient clinic of the soul, a good impact for schizophrenia patients so that the prevalence of schizophrenia patients relapse 1 year subs never, this is due to routine patient and outpatient treatment at the clinic Mental Mental Hospital dr. Marzoeki Mahdi Bogor.

**Key Words:** Soursop leaf, Pain of Gout