

HUBUNGAN PENGETAHUAN ORANG TUA TENTANG DEMAM TIFOID DENGAN KEBIASAAN JAJAN PADA ANAK DI WILAYAH KERJA PUSKESMAS SINDANG BARANG KOTA BOGOR

Tisna Yanti

Program Studi S1 Keperawatan
STIKes Wijaya Husada Bogor

Abstrak : Demam tifoid merupakan suatu infeksi bakterial pada manusia yang disebabkan oleh *salmonella thypi* gangguan ditandai dengan demam berkepanjangan, nyeri perut, diare, delirium, splenomegali, serta kadang – kadang disertai komplikasi perdarahan dan perforasi usus. Munculnya penyakit demam tifoid yaitu kurangnya perhatian orang tua mengenai kebiasaan buruk yaitu jajan sembarangan pada anak. **Tujuan Penelitian** ini ialah menganalisa hubungan pengetahuan orang tua tentang demam tifoid dengan kebiasaan jajan pada anak di wilayah kerja Puskesmas Sindang Barang Kota Bogor. **Metode Penelitian** ini menggunakan metode penelitian survei analitik dengan desain *cross sectional*. Pengambilan sampel dalam penelitian ini menggunakan teknik *purposive sampling* dengan sampel penelitian sebanyak 30 orang. **Hasil Penelitian** menggunakan analisis uji statistik *Fisher's Exact chi-square* yang mendapatkan hasil nilai $p = 0,047 < 0,05$. **Kesimpulan** penelitian ini yaitu ada hubungan pengetahuan orang tua tentang demam tifoid dengan kebiasaan jajan pada anak di wilayah kerja Puskesmas Sindang Barang Kota Bogor.

Kata Kunci : Pengetahuan, Demam Tifoid, Kebiasaan Jajan Pada Anak

Abstrack : Typhoid fever is a bacterial infection in humans caused by *salmonella thypi* disorder characterized by prolonged fever, abdominal pain, diarrhea, delirium, splenomegali, and sometimes accompanied by complications of bleeding and bowel perforation. The emergence of typhoid fever is a lack of parental attention on the bad habits that snack at random in children. **The purpose** of this study is to analyze the relationship of parental knowledge about the habit of eating snacks typhoid fever in children in the working area of the Sindang Barang Public Health. **This Study Methods** used a survey method with the analytic cross sectional design. The samples in this research uses purposive sampling technique to sample as many as 30 people. **Results of analysis** using Fisher's Exact test statistic chi-square that matches the value of $p = 0.047 < 0.05$. **The conclusion** of this study is that there is a relationship parents knowledge about the habit of eating snacks typhoid fever in children in the region of the Regional Public Health of Sindang Barang Bogor.

Keywords: Knowledge, Typhoid Fever, Snack Habits In Children.